

# UTICA™ 2000W Vertical Axis Wind Turbine



<b>Flexible</b> <ul style="list-style-type: none"><li>• For systems from 500W to 5000W</li><li>• UTICA series VAWT are widely used in the areas with good wind energy</li><li>• AC and DC coupling</li></ul>	<b>Simple</b> <ul style="list-style-type: none"><li>• Easy commissioning with the “Quick Configuration Guide”</li><li>• Complete off &amp; on-grid management</li></ul>	<b>Efficient</b> <ul style="list-style-type: none"><li>• High efficiency</li><li>• Intelligent battery management for maximum battery life</li><li>• Charge level calculation</li></ul>	<b>Robust</b> <ul style="list-style-type: none"><li>• Extreme overload capability</li><li>• Proactive temperature management system</li><li>• 2-year warranty</li></ul>
--	---	---	---

## Wind Powered Generator

UTICA® Wind MobileGrid is an off-grid solar power system that works 24-hours a day, powered by photovoltaic modules, complementing your existing energy consumption and hence, reducing electricity bills and carbon footprint.


The easy deployable system makes commissioning within minutes possible. All required operational settings can be made quickly and easily in just a few steps. The UTICA® Wind MobileGrid is powerful, extendable and takes on all control processes.

Its first-class intelligent power processing unit ensures maximum battery life. It also features impressive efficiency, a rugged metal enclosure and active cooling system. With an output rating of 230V and 50 Hz, the UTICA® Wind MobileGrid is designed perfect for any location.

Technical Data	Wind MobileGrid 2000
<b>Capacity</b>	<b>2000VA</b>
System Voltage	24VDC
Energy Management	UTICA Intelligent Controller Processor
<b>Power Inverter</b>	
Output Wave Form	Pure Sine Wave
Display Mode	LCD
Display Parameters	Battery Voltage, Status parameters
Cooling Mode	Fan
Rated Output Voltage	110/120/220/230/240VAC
Wave Distortion	≤4%
Output Frequency	50/60 Hz±0.05Hz
Dynamic Response	0.05
Overload Capacity	120% 1min, 150% 10s
Inverter Efficiency	Maximum 90%
Noise (1m)	≤40dB
<b>Wind Turbine</b>	
Turbine Pmax	2000Wp
Output Voltage	AC220V
Top Weight	90 (KG)
Tower Height	Guy Cable Tower/6M
Speed Regulation Method	Electromagnetic Control
Stop Method	Electromagnetic brake
Wind Energy Utilized Coefficient	30%-40%
Range of Working Temperature	-45℃-60℃
<b>Battery</b>	
Capacity	24V450 Ah
Certificates and permits	<a href="http://www.utica.sg">www.utica.sg</a>
Last revision: January 2013	
Remarks	Every wind turbine is designed for either on-grid or off-grid usage. Each product is equipped with a specially designed magnetic generator that lowers torque and creates a higher generation of electricity, thus making our products superior in efficiency when compared to other products on the market today.

#### UTICA Wind Mobile Grid 2000 Series

- System capacity 2kVA
- Weatherproof for outdoor
- Seamlessly power for home appliances and electronic devices
- External DC Connections
- Surge protections
- Easy to transport
- Communication systems, radio beacon, visual signals, water pump and LED lights



Off-grid System

Hotline +65 6296 7787 Utica Singapore  
[www.utica.sg](http://www.utica.sg)

The instructions are only for your reference. If any discrepancy found between certain picture and product, please look the actual product.

UTICA SINGAPORE